

MagNA Pure 96 System

Start here. Go anywhere.




Start here

The MagNA Pure 96 System is a high-throughput instrument for automated nucleic acid purification. Typical run duration is one hour for 96 standard volume samples. Experience high-throughput automation combined with high performance while increasing your laboratory productivity to meet your changing needs.

- Enable purification of 96 samples in less than 30 minutes
- Simplify your workflow with pre-programmed protocols tailored to different sample requirements
- Utilize proven magnetic glass particle technologies
- Rely on eluates suitable for a broad range of genomic applications
- Magnify your lab's efficiency with seamless data management
- Expand capacity for diverse day-to-day throughput needs





C. Renee Webb, MT(ASCP) Manager, Molecular Laboratories Texas Children's Hospital

MagNA Pure 96 reagent kits

Prefilled, barcoded, and ready-to-use

MagNA Pure 96 Kits are prefilled and ready-to-use reagent trays that can be easily loaded into racks, ensuring user ease and safety. These kits, as well as the consumables, are barcoded and read by the MagNA Pure onboard scanner for inventory check, loading errors, and process documentation.

Three kits that cover a large range of starting materials and targets

		Starting material												
Reagents	Target	Whole blood	Plasma (citrate)	Plasma (EDTA)	Serum	Swabs	BAL*	Sputum	CSF	Urine	Stool	Cultured cells	Fresh-frozen tissue	FFPET**
MagNA Pure 96 DNA	Genomic DNA													
and Viral Nucleic Acid	Bacterial DNA	•												
Small Volume Kit	Viral DNA/RNA													
	Genomic DNA													
MagNA Pure 96 DNA	Bacterial DNA													
and Viral Nucleic Acid Large Volume Kit	Viral DNA/RNA							•						
-	Cell-free NA													
MagNA Pure 96 Cellular RNA Large Volume Kit†	Total RNA	•										•	•	•

*BAL - Bronchoalveolar Lavage

** FFPET - formalin-fixed paraffin-embedded tissue

 $^{\,\rm t}$ For life science research only. Not for use in diagnostic procedures.

MagNA Pure 96 Software

Intuitive user interface

The intuitive graphical user interface provides all instructions to operate the system, such as sample loading to run start. The software detects loading errors and provides information to the user for the appropriate corrective action.



Anatomy of a MagNA Pure 96 System

Effortless purification, confidence from automation

Proven performance


- Over 20 years of successful magnetic bead technology
- High-quality extract with reproducible and consistent yields
- GMP-manufactured and IVD-registered
- Dedicated, experienced support and service teams

Simplified workflow

- Ready-to-use prefilled reagents
- Minimal consumables
- On-board barcode scanning for inventory
- Streamlined kit offering that purify a variety of nucleic acids
- Intuitive graphical interface

Contamination prevention

- UV lamp
- Drop catcher
- CO-RE Tip technology with stable lock-and-key fit which eliminates the risk of cross-contamination



Accelerated results

- 96 samples in less than 30 minutes*
- Parallel handling of all samples with 2 robotic arms
- Set-up in less than 5 minutes

Data management

- Software with audit trail and user management
- LIMS host connectivity

Optimized productivity

- Broad range of supported samples
- Pre-programmed protocols, including "Pathogen Universal" that extracts DNA and RNA from 10 common samples
- Eluate used for a variety of downstream applications


Minimized handling error

- Fully automated workflow
- Error detection with corrective action guidance
- Deck and volume surveillance
- Barcoding of kits and consumables

Flexibility for optimized productivity

Efficient purification

DNA was measured with the UV-spectrophotometer.¹ The alignment of the duplicate curves for the varying cell count indicates reproducibility and scalability of the MagNA Pure 96 System.¹



Experiment details¹


 $\ensuremath{\textit{Kit:}}\xspace$ MagNA Pure 96 DNA and Viral NA SV Kit

Protocol: SV Blood protocol

Sample: Whole blood with various white blood cell counts (3700, 5800, 10600 K/µL)

Flexibility along with convenience

A variety of targets from a wide range of sample types can be extracted efficiently on the MagNA Pure 96 System using one protocol, one kit, and within the same run as indicated by the crossing points detected on the Roche LightCycler®480 Real-Time PCR Instrument*.¹



Experiment details¹

Kit: MagNA Pure 96 DNA and Viral NA LV Kit **Pretreatment:** As described in Instructions for Use (IFU)

Protocol: Pathogen Universal 1000

Sample: EDTA plasma, throat wash, swab, cerebrospinal fluid, bronchoalveolar lavage

Pathogen spike-in: Hepatitis A virus (RNA virus), Parvo B19 virus (DNA virus), Staphylococcus aureus and Enterococcus faecalis (gram positive bacteria), ß-globin (control)

¹Data on file.

* For life science research only. Not for use in diagnostic procedures.


"My lab techs have been so happy with the transition to the MagNA Pure 96 System. Set-up takes less than 5 minutes and is very easy. We have moved almost all of our extractions to this instrument, and – across our sample types – it gives us highly consistent eluates."

Safedin Sajo Beqaj, Ph.D., HCLD, CC (ABB) Scientific Director Pathology, Inc


is very rument, luates."

Increase efficiency in pathogen detection

The Roche workflow makes pathogen detection reliable and consistent. The high-throughput MagNA Pure 96 System dramatically speeds up extraction by allowing different sample types to be supported by the same kit and protocols which enables faster downstream analysis. Increase efficiency even further with multiplex qPCR and assay panels offered by TIB Molbiol* which can run on the LighCycler[®] 480 System*.



Parasite panel*1	Channel	Ср	Std	Hits
E. histolytica	440-488	29.6	0.1	2/2
Giardia	465-510	30.0	0.0	2/2
Dientamoeba	533-580	29.7	0.1	2/2
Cryptosporidium	533-610	29.6	0.1	2/2
Blastocystis	533-640	30.1	0.1	2/2



Gastro panel ¹	Channel	Ср	Std	Hits	Flu panel ¹	Channel	Ср	Std	Hits
Norovirus GG2	465-510	35.1	0.2	2/2	Influenza A	465-510	33.6	0.2	2/2
Rotavirus A	533-580	33.0	0.0	2/2	Influenza B	533-580	33.7	0.5	2/2
Adenovirus V	533-610	29.2	0.0	2/2					

Experiment details¹

Kit: MagNA Pure 96 DNA and Viral NA SV Kit Pretreatment: As described in IFU

Protocol: Pathogen Universal

Sample: Serum (Parasite panel), stool (Gastro panel), and swab (Influenza panel)


¹Data on file.

 \ast For life science research only. Not for use in diagnostic procedures.

High throughput and scalability

Prevention of contamination

Three runs (each with 48 positive spiked plasma samples and 48 negative samples arranged in a checkerboard pattern) were extracted on the MagNA Pure 96 System and then analyzed on the LightCycler® 480 Instrument*.¹ No cross-contamination was found.¹



Experiment details¹

Kit: MagNA Pure 96 DNA and

Protocol: Large Volume protocol (500 µL)


Sample: EDTA plasma

Pathogen: Parvo B19 at 5 x 10^7 copies/mL (=10^6 above detection limit)

Growing with your needs


Scale with ease

Go anywhere with scalability for your lab's growth. The MagNA Pure 96 System is significantly faster than two other competitor brands. When considering daily, monthly, and yearly capacity needs, the MagNA Pure 96 System provides increased ability to meet growth and testing fluctuations.^{1,2}



Beyond extraction

Unlock more of the answers you need with the new 4 mL volume protocol for circulating cell-free nucleic acids (cfNA) on the MagNA Pure 96 System by preferentially isolating smaller size fragments. Adapt to fluctuating demand with the only platform to have the scalability of up to 48 cfNA extractions in one run and rely on re-optimized cfNA protocols to address specific eluate needs for a broad range of downstream genomic applications, including real-time PCR, arrays, and next-generation sequencing. Bioanalyzer data demonstrates a shift in extraction size capture with the MagNA Pure 96 DNA and Viral NA LV Kit (dark blue) and when MagNA Pure cfNA Buffer Set' is used to enhance small fragment isolation (light blue).³ Enhance your studies in the genomic world with new protocols and solutions offered on the MagNA Pure 96 System.





¹ Extraction instrument comparison; clinical lab consulting, 2016. ² Assumes 8 work hour day and whole blood extraction protocol. ³ Data on file.

⁺ For general laboratory use.

Highly reproducible results

qPCR results from the MagNA Pure 96 System extracted samples are highly reproducible (CV <2%) for intra-run and inter-run, and show reagents' lot-to-lot consistency.1





Experiment details¹

Kit: MagNA Pure 96 DNA and Viral NA SV Kit

Protocol: Viral NA Universal SV

Sample: EDTA plasma

Intra-assay - single run, 8 replicates **Inter-assay –** 3 runs by different operators on different instruments in different labs Lot-to-lot - 6 different lots

¹Data on file *For life science research only. Not for use in diagnostic procedures.

8

Experimen	t details ³
0	Pure 96 DNA and Viral NA LV Kit ent: MagNA Pure cfNA Buffer Set'
Protocol: c	fNA ds 4000
Sample: ED	DTA plasma
	NA ladder (0.05, 0.15, 0.3, 0,5, 5, 2, 3, 5,10kb)
Inter-assay	 y - single run, 8 replicates y - 3 runs by different operators t instruments in different labs

Lot-to-lot - 6 different lots

Go anywhere with confidence

The MagNA Pure 96 System family ensures purity, reproducibility, and laboratory efficiency obtained only by automated bead-based extraction. Whether your lab extracts just a few samples or thousands in one day, the MagNA Pure family has a fully automated extraction to meet your scalable needs.

From low-throughput days

- Simplified sample preparation for dramatic reduction of handling errors
- Preloaded protocols for a broad range of sample types
- Pre-filled and barcoded reagent kits
- Intuitive software and guidance

To high demand times

Expand throughput and automation with Roche liquid handling which combines primary sample handling and PCR setup in one pipetting instrument.



MagNA Pure 24 System 1-24 samples



Roche liquid handling Sample handling and PCR setup

MagNA Pure 96 System

Benchtop standalone ins
1 to 96 reactions per ru
50 µL to 1 mL Up to 4 mL for Plasma sa
50 to 200 µL
Approximately 30 to 90
Approximately 5 minutes
For <i>in vitro</i> diagnostic us

Software and connectivity	
Traceability	21CFR part 11 (subsecti
Data export	*.xml, LightCycler® samp
Interfaces	USB, LAN 10/100/1000
Connectivity	LIMS (e.g., via HL7 trans Roche service with Axed

Hardware	
Dimensions	W x D x H: 136 x 81.5 x 1
Weight	235 kg
Process parallelization and speed	Two robotic heads: (1) Re controlled fluid channels head to transfer and proc
Contamination control	Drop catcher, UV Lamp, c

Kits and applications	
Reagent design	Pre-filled, ready-to-use
Unopened kit storage	+15 to +25°C
Kit re-use	Up to 28 days after first (
Isolation principle	Magnetic glass particle t
Nucleic acids	DNA, tNA, viral NA, total
Supported sample types	Whole blood, plasma, se and cell cultures, urine, s
Protocols	>3 preloaded and pre-op

nstrument with separate control unit

IN

ample

minutes depending on protocol

S

se.

tion B), Audit trail, Process monitoring, User guidance

ole input file in csv format (*.txt)

Base T, LAN 10/100 Base

sfer protocol), Bidirectional file sharing, remote da

100 cm

Reagent head pipetting arm with four individually is to transfer reagents and (2) 96-nozzle process pocess samples in parallel.

dual robotic arm engineering

use

technology

l RNA, cell-free NA

erum, fresh-frozen tissue, FFPE tissue, bacterial swabs, sputum, CSF, BAL, stool

ptimized for specific sample types

Ordering information

MagNA Pure 96 Instrument, kits, and consumables

Product name	Catalog #	Content
1. Instrument		
MagNA Pure 96 Instrument	06 541 089 001	Instrument, control unit, software, accessories
2. Reagent Kits and Lysis Buffers		
MagNA Pure 96 DNA and Viral NA LV Kit	06 374 891 001	Up to 288 isolations
MagNA Pure 96 DNA and Viral NA SV Kit	06 543 588 001	Up to 596 isolations
MagNA Pure 96 Cellular RNA LV Kit*	05 467 535 001	Up to 288 isolations
MagNA Pure 96 System Fluid (Internal)	06 430 112 001	2 containers
MagNA Pure 96 System Fluid (External)	06 640 729 001	1 container
MagNA Pure External Lysis Buffer	06 374 913 001	100 mL
MagNA Pure Bacterial Lysis Buffer	06 374 921 001	20 mL
MagNA Pure DNA Tissue Lysis Buffer	06 640 702 001	200 mL
MagNA Pure RNA Tissue Lysis Buffer'	03 604 721 001	70 mL
MagNA Pure cfNA Buffer Set'	07 794 398 001	Up to 96 isolations
MagNA Pure FFPET Buffer Set	08 447 144 001	Up to 200 samples
S.T.A.R. Buffer*	03 335 208 001	300 mL

06 241 603 001	36
06 241 611 001	60
06 241 620 001	8x5
06 241 638 001	100
06 374 905 001	150 (15x10)
	06 241 611 001 06 241 620 001 06 241 638 001

For more information or general inquiries, or to obtain updated protocols, please contact your local Roche representative or visit <u>go.roche.com/mp96</u> or <u>go.roche.com/magnapure</u>

* For life science research only. Not for use in diagnostic procedures. [†] For general laboratory use. Published by Roche Sequencing and Life Science 9115 Hague Road Indianapolis, IN 46256

All MagNA Pure 96 kits, consumables, and accessories are for in vitro diagnostic unless otherwise noted. * For life science research only. Not for use in diagnostic procedures. * For general laboratory use.

MAGNA PURE and LIGHTCYCLER are registered trademarks of Roche. All other product names and trademarks are the property of their respective owners.

© 2024 Roche Sequencing and Life Science. All rights reserved MC-US-14299 01/24