SAFETY DATA SHEET

cobas Influenza A/B & RSV

Version	Revision Date:	Date of last issue: 04-15-2022
2.1	06-17-2024	Date of first issue: 12-08-2015

SECTION 1. IDENTIFICATION

Product name : cobas Influenza A/B & RSV

Product code : 08160104190

Manufacturer or supplier's details

Company name of supplier : Roche Diagnostics
-

Address : 9115 Hague Road
Indianapolis, IN 46250
USA

Telephone : 1-800-428-5074

Emergency telephone
In case of emergencies: : CHEMTREC 1-800-424-9300 (U.S. or Canada)
1-703-527-3887 (International)

Recommended use of the chemical and restrictions on use

Recommended use : Laboratory chemicals
Refer to product literature for further details.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1C

Serious eye damage : Category 1

Respiratory sensitization : Category 1

Skin sensitization : Category 1

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary Statements :

Prevention:

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P285 In case of inadequate ventilation wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Thiocyanic acid, compd. with guanidine (1:1)	593-84-0	>= 30 - < 50
1,2,3-Propanetricarboxylic acid, 2-	77-92-9	>= 1 - < 5

hydroxy-		
Glycine	56-40-6	>= 1 - < 5
Sodium citrate dihydrate	6132-04-3	>= 1 - < 5
Proteinase K	39450-01-6	>= 1 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Call a physician or poison control center immediately.
Move to fresh air.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Causes severe burns.

Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Ammonia Carbon oxides Hydrogen cyanide (hydrocyanic acid) Nitrogen oxides (NOx) Sodium oxides May release combustible and toxic gases
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma,

allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
To prevent leaks or spillages from spreading, provide a suitable liquid retention system.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : See label, package insert or internal guidelines

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Thiocyanic acid, compd. with guanidine (1:1)	593-84-0	IOEL	100 microgram per cubic meter	Category 1 (Roche Group Directive K1, Annex 3): OEL = 100 µg/m3
Proteinase K	39450-01-6	IOEL	0.00006 mg/m3	Roche Industrial Hygiene Committee (RIHC)

Engineering measures : No data available

Personal protective equipment

Respiratory protection : In the case of vapor formation use a respirator with an approved filter.

Hand protection

In case of full contact:
Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm

In case of contact through splashing:
Material : Nitrile rubber
Break through time : 480 min

Glove thickness	:	0.11 mm
Remarks	:	Wear appropriate protective gloves to prevent skin contact. Replace torn or punctured gloves promptly.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless
Odor	:	slight
Odor Threshold	:	No data available
pH	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	does not flash
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Does not sustain combustion.
Flammability (liquids)	:	Does not sustain combustion.
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Solubility(ies)		
Water solubility	:	completely miscible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	Hazardous decomposition products formed under fire conditions.
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Toxic gases may be released if in contact with the following: sodium hypochlorite Acids Strong oxidizing agents No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Strong acids Strong oxidizing agents Cyanides sodium hypochlorite
Hazardous decomposition products	:	In case of fire hazardous decomposition products may be produced such as: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Hydrogen cyanide (hydrocyanic acid)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,380 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 25.58 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 2,458 mg/kg Method: Calculation method

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Acute oral toxicity	:	LD50 Oral (Rat, female): 593 mg/kg Method: OECD Test Guideline 401 Symptoms: Vomiting GLP: yes
Acute inhalation toxicity	:	Assessment: Corrosive to the respiratory tract., The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	:	Assessment: The component/mixture is moderately toxic after single contact with skin.

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Acute oral toxicity	:	LD50 (Rat, male): 11,700 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402

Glycine:

Acute oral toxicity	:	LD50 Oral (Rat): 7,930 mg/kg

Sodium citrate dihydrate:

Acute oral toxicity	:	LD50 Oral (Mouse): 5,400 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 Dermal (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: No mortality observed at this dose.

The value is given in analogy to the following substances:
Citric acid

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Extremely corrosive and destructive to tissue.

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure
GLP : yes

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : No skin irritation

Glycine:

Species : Rabbit
Exposure time : 4 h
Method : OECD Test Guideline 404
Result : negative
GLP : yes

Sodium citrate dihydrate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Test substance : anhydrous substance

Proteinase K:

Result : Irritating to skin.
Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Species	:	Rabbit
Result	:	Irritating to eyes.
Method	:	OECD Test Guideline 405

Glycine:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

Sodium citrate dihydrate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Test substance	:	anhydrous substance

Proteinase K:

Result	:	Irritating to eyes.
Remarks	:	May cause irreversible eye damage.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Remarks	:	Causes sensitization.

Components:

Sodium citrate dihydrate:

Test Type	:	Maximization Test
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Method	:	OECD Test Guideline 406
Test substance	:	anhydrous substance

Proteinase K:

Assessment	:	May cause sensitization by skin contact.
Remarks	:	Causes sensitization.
Assessment	:	May cause sensitization by inhalation.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: no

Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Result: negative

Genotoxicity in vivo : Species: Rat (male)
Cell type: Bone marrow
Method: OECD Test Guideline 475
Result: negative

Glycine:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Sodium citrate dihydrate:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471

Result: negative

Test Type: Micronucleus test
Test system: Human lymphocytes
Method: OECD Test Guideline 487
Result: positive

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Rat
Application Route: Oral
Method: Regulation (EC) No. 440/2008, Annex, B.22
Result: negative

Test Type: Chromosome aberration test in vitro
Species: Rat
Cell type: Bone marrow
Application Route: Oral
Method: OECD Test Guideline 475
Result: negative

Carcinogenicity

Not classified due to lack of data.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified due to lack of data.

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Effects on fertility : Species: Rat, female
Application Route: Oral
Dose: 25
GLP: no
Remarks: No significant adverse effects were reported
Based on data from similar materials

Effects on fetal development : Species: Rat, female
Application Route: Oral
Dose: 50, 150, 350 mg/kg bw/day
General Toxicity Maternal: NOAEL: 150 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 350 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

STOT-single exposure

Not classified due to lack of data.

Components:

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Target Organs	:	Respiratory system
Assessment	:	May cause respiratory irritation.

Glycine:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, single exposure.

Proteinase K:

Assessment	:	May cause respiratory irritation.

STOT-repeated exposure

Not classified due to lack of data.

Components:

Glycine:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Proteinase K:

Assessment	:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Species	:	Rat, male and female
NOAEL	:	100 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Number of exposures	:	daily
Dose	:	25, 100, 300 mg/kg bw/day
Method	:	OECD Test Guideline 408
GLP	:	yes

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

NOAEL	:	4,000 mg/kg
Application Route	:	Oral
Exposure time	:	10 days

Aspiration toxicity

Not classified due to lack of data.

Components:

Proteinase K:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): 89.1 mg/l End point: mortality Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 203 GLP: no
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 42.4 mg/l End point: Immobilization Exposure time: 48 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 202 GLP: no
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 130 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test GLP: No information available.
Toxicity to microorganisms	:	EC50 (activated sludge): > 185 mg/l Exposure time: 28 d Test Type: static test Method: OECD Test Guideline 302B GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 120 mg/l Exposure time: 72 h
Toxicity to algae/aquatic plants	:	EC0 (Scenedesmus quadricauda (Green algae)): 640 mg/l

Ecotoxicology Assessment

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

Glycine:

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 1,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 220 mg/l Exposure time: 48 h Test Type: semi-static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: no

Ecotoxicology Assessment

Acute aquatic toxicity	:	This product has no known ecotoxicological effects.
Chronic aquatic toxicity	:	This product has no known ecotoxicological effects.
Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

Sodium citrate dihydrate:

Toxicity to fish	:	LC50 (Poecilia reticulata (guppy)): > 18,000 - 32,000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 5,600 - 10,000 mg/l Exposure time: 48 h Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants	:	EC50 (Chlorella vulgaris (Fresh water algae)): 18,000 - 32,000 mg/l Exposure time: 96 h
Toxicity to microorganisms	:	EC50 (Bacteria): 1,800 - 3,200 mg/l Exposure time: 8 h

Proteinase K:

Ecotoxicology Assessment

Toxicity Data on Soil	:	Not expected to adsorb on soil.
Other organisms relevant to the environment	:	No data available

Persistence and degradability

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Biodegradability	:	aerobic Inoculum: activated sludge, non-adapted Concentration: 343 mg/l Result: Inherently biodegradable. Biodegradation: 46 % Exposure time: 28 d Method: OECD Test Guideline 302B GLP: no

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Biodegradability	:	aerobic Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B

Glycine:

Biodegradability	:	see user defined free text Result: Readily biodegradable. Biodegradation: 76 - 82 % Exposure time: 14 d Method: OECD Test Guideline 301C

Sodium citrate dihydrate:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 97 % Exposure time: 28 d Method: OECD Test Guideline 301B Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Thiocyanic acid, compd. with guanidine (1:1):

Partition coefficient: n-octanol/water	:	log Pow: -1.11 (77 °F / 25 °C) pH: > 5.1 Method: Regulation (EC) No. 440/2008, Annex, A.8 GLP: no

1,2,3-Propanetricarboxylic acid, 2-hydroxy-:

Bioaccumulation	:	Remarks: No bioaccumulation is to be expected (log Pow <= 4).
Partition coefficient: n-octanol/water	:	log Pow: -1.72 (68 °F / 20 °C)

Glycine:

Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.
Partition coefficient: n-octanol/water	:	log Pow: -3.21

Sodium citrate dihydrate:

Bioaccumulation	:	Bioconcentration factor (BCF): 3.2 Remarks: Based on data from similar materials
Partition coefficient: n-octanol/water	:	Remarks: No data available

Proteinase K:

Partition coefficient: n-octanol/water	:	Remarks: No data available

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential	:	Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company. Can be disposed as waste water, when in compliance with local regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG
Not regulated as a dangerous good

IATA-DGR
Not regulated as a dangerous good

IMDG-Code
Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Domestic regulation

49 CFR
Not regulated as a dangerous good

Special precautions for user

Remarks	:	Not dangerous goods in the meaning of ADR/RID, ADN, IMDG-Code, ICAO/IATA-DGR

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity
This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity
This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity
This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
Respiratory or skin sensitization
Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).
The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Glycine	56-40-6	>= 1 - < 5 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.
This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.
This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307
This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

Thiocyanic acid, compd. with guanidine (1:1)	593-84-0
Water	7732-18-5
1,2,3-Propanetricarboxylic acid, 2-hydroxy-	77-92-9

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The ingredients of this product are reported in the following inventories:

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

		Proteinase K
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	Not in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
TECI	:	Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 06-17-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8 / 2304