

The LOINC® codes provided in this document are Roche's best estimate of the LOINC codes that should be associated with each of our reagents. To our knowledge, the codes provided are accurate and reflect a correct LOINC association. However, we are providing LOINC codes for informational use only.

Please note that Roche does not create or manage LOINC coding assignments. LOINC codes are created and managed by the Regenstrief Institute, Inc. ("Regenstrief"). Roche cooperates with Regenstrief when asked about unique markers and conducts periodic method reviews to determine whether new LOINC codes should be created for unique markers or markers not properly characterized by existing codes. However, the development, assignment, and management of LOINC codes remains solely within the purview of Regenstrief. With respect to certain tests, there may be multiple LOINC codes which could apply. You must determine the most appropriate code for your test catalog based on specimen type, challenge, and timing.

Roche makes no representation and/or warranty with respect to the provision of LOINC codes, including but not limited to the suitability of use to which you intend to put them. Roche further disclaims any and all liability associated with your decision to rely upon the LOINC codes provided herein. You, as a testing laboratory, remain solely responsible for ensuring the accurate selection of LOINC codes and the accurate mapping of LOINC codes within your laboratory information system.

Please direct any questions about the information in this document to Roche Point of Care (POC) Technical Service at 1-800-428-4674.

NOTICE: The information in this document includes all or a portion of the LOINC table, LOINC panels, and forms file and/or LOINC hierarchy file, or is derived from one or more of the foregoing, subject to a license from Regenstrief Institute, Inc. Your use of the LOINC table, LOINC codes, LOINC panels and forms file, and LOINC hierarchies file is also subject to this license, a copy of which is available at <http://loinc.org/terms-of-use>. The current complete LOINC table, LOINC Users' Guide, LOINC panels and forms file, and LOINC hierarchies file are available for download at <http://loinc.org>. THE LOINC TABLE (IN ALL FORMATS), LOINC PANELS AND FORMS FILE, AND LOINC HIERARCHIES ARE PROVIDED "AS IS." ANY EXPRESS OR IMPLIED WARRANTIES ARE DISCLAIMED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

LOINC is a registered United States trademark of Regenstrief Institute, Inc.



The LOINC table and LOINC codes are copyright © 1995-2017, Regenstrief Institute, Inc. All rights reserved.

COAGUCHEK is a trademark of Roche.

© 2017, Roche Diagnostics. All rights reserved.

Distribution in USA by: Roche Diagnostics, Indianapolis, IN

This document is available on the Roche Diagnostics USA website at usdiagnostics.roche.com and the Point of Care website at www.poc.roche.com.

Roche POC System	Analyte Name	Units	LOINC#	Component	Property	Timing	System	Scale	Method	Short name
CoaguChek XS CoaguChek XS Plus CoaguChek XS Pro	PT	INR	34714-6	Coagulation tissue factor induced.INR	RelTime	Pt	Bld	Qn	Coag	INR Bld
	PT	INR	46418-0	Coagulation tissue factor induced.INR	RelTime	Pt	BldC	Qn	Coag	INR BldC
	PT	Seconds	5964-2	Coagulation tissue factor induced	Time	Pt	Bld	Qn	Coag	PT Bld
	PT	Seconds	46417-2	Coagulation tissue factor induced	Time	Pt	BldC	Qn	Coag	PT BldC